

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended

ETHANOL 96% DENATURED EU 2017/1112

Version 2.0

Print Date 27.03.2026

Revision date / valid from 08.07.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name : ETHANOL 96% DENATURED EU 2017/1112
REACH Status : Each component of the product is either registered or exempted from registration obligations according to REACH Regulation (EC) No 1907/2006

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Industrial application
Uses advised against : At this moment we have not identified any uses advised against

1.3. Details of the supplier of the safety data sheet

Company : Brenntag N.V.
Nijverheidslaan 38
BE 8540 Deerlijk
Telephone : +32 (0)56 77 6944
Telefax : +32 (0)56 77 5711
E-mail address : info@brenntag.be
Responsible/issuing person : Master Data Administration

Company : Brenntag Nederland B.V.
Donker Duyvisweg 44
NL 3316 BM Dordrecht
Telephone : +31 (0)78 65 44 944
Telefax : +31 (0)78 65 44 919
E-mail address : info@brenntag.nl
Responsible/issuing person : Master Data Administration

1.4. Emergency telephone number

Emergency telephone number : Belgium: Antipoison Center - Brussels TEL: +32(0)70 245 245
Netherlands: National Poisoning Information Center - Bilthoven
TEL: +31(0) 88 755 8000 (Only for the purpose of informing medical personnel in cases of acute intoxications)

ETHANOL 96% DENATURED EU 2017/1112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

REGULATION (EC) No 1272/2008			
Hazard class	Hazard category	Target Organs	Hazard statements
Flammable liquids	Category 2	---	H225
Eye irritation	Category 2	---	H319



For the full text of the H-Statements mentioned in this Section, see Section 16.

Most important adverse effects

- Human Health : See section 11 for toxicological information.
- Physical and chemical hazards : See section 9/10 for physicochemical information.
- Potential environmental effects : See section 12 for environmental information.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

- Hazard symbols :  
- Signal word : Danger
- Hazard statements : H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
- Precautionary statements
- Prevention : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233 Keep container tightly closed.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Response : P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P370 + P378 In case of fire: Use dry sand, dry chemical

ETHANOL 96% DENATURED EU 2017/1112

or alcohol-resistant foam to extinguish.

2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components	Amount [%]	Classification (REGULATION (EC) No 1272/2008)	
		Hazard class / Hazard category	Hazard statements
ethanol Index-No. : 603-002-00-5 CAS-No. : 64-17-5 EC-No. : 200-578-6 EU REACH-Reg. No. : 01-2119457610-43-xxxx	>= 90 - <= 95	Flam. Liq.2 Eye Irrit.2 specific concentration limit Eye Irrit. 2; H319 >= 50 %	H225 H319
propan-2-ol Index-No. : 603-117-00-0 CAS-No. : 67-63-0 EC-No. : 200-661-7 EU REACH-Reg. No. : 01-2119457558-25-xxxx	1	Flam. Liq.2 Eye Irrit.2 STOT SE3	H225 H319 H336
butanone Index-No. : 606-002-00-3 CAS-No. : 78-93-3	1	Flam. Liq.2 Eye Irrit.2	H225 H319

ETHANOL 96% DENATURED EU 2017/1112

EC-No. : 201-159-0	STOT SE3	H336
EU REACH- : 01-2119457290-43-xxxx		
Reg. No.		EUH066

Denatonium benzoate

CAS-No. : 3734-33-6	0,001 - 0,0015	Acute Tox.4 Oral	H302
EC-No. : 223-095-2		Skin Irrit.2	H315
EU REACH- : 01-2120102843-65-xxxx		Eye Irrit.2	H319
Reg. No.		STOT SE3	H335

Acute toxicity estimate
 Acute oral toxicity: 584 mg/kg
 Acute dermal toxicity:
 2000,01 mg/kg

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	: Remove from exposure, lie down. Take off all contaminated clothing immediately.
If inhaled	: Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. If unconscious place in recovery position. If symptoms persist, call a physician.
In case of skin contact	: Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.
In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, for at least 5 minutes. Consult an eye specialist immediately. Go to an ophthalmic hospital if possible.
If swallowed	: Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. If a person vomits when lying on his back, place him in the recovery position. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	: See Section 11 for more detailed information on health effects and symptoms.;
Effects	: See Section 11 for more detailed information on health effects and symptoms.

ETHANOL 96% DENATURED EU 2017/1112

4.3. Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically. For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
 Unsuitable extinguishing media : High volume water jet

5.2. Special hazards arising from the substance or mixture

Specific hazards during firefighting : The vapour may be invisible, heavier than air and spread along ground. Vapours may form explosive mixtures with air. Flash back possible over considerable distance.
 Hazardous combustion products : Carbon monoxide, Carbon dioxide (CO₂), Heating or fire can release toxic gas.

5.3. Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Wear personal protective equipment.
 Further advice : Cool closed containers exposed to fire with water spray. Heating will cause a pressure rise - with risk of bursting. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep away from heat and sources of ignition. Use personal protective equipment. Keep away unprotected persons. Provide adequate ventilation. Avoid contact with skin and eyes. Do not breathe vapours or spray mist.

6.2. Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.

6.3. Methods and materials for containment and cleaning up

Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

ETHANOL 96% DENATURED EU 2017/1112

6.4. Reference to other sections

See Section 1 for emergency contact information.
 See Section 8 for information on personal protective equipment.
 See Section 13 for waste treatment information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Keep container tightly closed. Ensure adequate ventilation. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapours or spray mist. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of workday. Take off all contaminated clothing immediately.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep in an area equipped with solvent resistant flooring.

Advice on protection against fire and explosion : Keep away from sources of ignition - No smoking. The vapour may be invisible, heavier than air and spread along ground. Vapours may form explosive mixtures with air. Take measures to prevent the build up of electrostatic charge. Use only in an area containing explosion proof equipment.

Further information on storage conditions : Keep tightly closed in a dry and cool place. Keep away from direct sunlight. Keep in a well-ventilated place.

Advice on common storage : Incompatible with oxidizing agents. Do not store together with oxidizing and self-igniting products. Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

Specific use(s) : No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL)

ETHANOL 96% DENATURED EU 2017/1112

DNEL		
Workers, Long-term - systemic effects, Inhalation	:	950 mg/m ³
DNEL		
Workers, Acute - local effects, Inhalation	:	1900 mg/m ³
DNEL		
Workers, Long-term - systemic effects, Skin contact	:	343 mg/kg bw/day
DNEL		
Consumers, Long-term - systemic effects, Inhalation	:	114 mg/m ³
DNEL		
Consumers, Acute - local effects, Inhalation	:	950 mg/m ³
DNEL		
Consumers, Long-term - systemic effects, Skin contact	:	206 mg/kg bw/day
DNEL		
Consumers, Long-term - systemic effects, Ingestion	:	87 mg/kg bw/day

Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL)

DNEL		
Workers, Long-term - systemic effects, Inhalation	:	950 mg/m ³
DNEL		
Workers, Acute - local effects, Inhalation	:	1900 mg/m ³
DNEL		
Workers, Long-term - systemic effects, Skin contact	:	343 mg/kg bw/day
DNEL		
Consumers, Long-term - systemic effects, Inhalation	:	114 mg/m ³
DNEL		
Consumers, Acute - local effects, Inhalation	:	950 mg/m ³
DNEL		
Consumers, Long-term - systemic effects, Skin contact	:	206 mg/kg bw/day
DNEL		
Consumers, Long-term - systemic effects, Ingestion	:	87 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Fresh water	:	0,96 mg/l
-------------	---	-----------

ETHANOL 96% DENATURED EU 2017/1112

Marine water	:	0,79 mg/l
Intermittent releases	:	2,75 mg/l
Sewage treatment plant (STP)	:	580 mg/l
Fresh water sediment	:	3,6 mg/kg d.w.
Marine sediment	:	2,9 mg/kg d.w.
Soil	:	0,63 mg/kg d.w.
Secondary poisoning	:	380 mg/kg food

Predicted No Effect Concentration (PNEC)

Fresh water	:	0,96 mg/l
Marine water	:	0,79 mg/l
Intermittent releases	:	2,75 mg/l
Sewage treatment plant (STP)	:	580 mg/l
Fresh water sediment	:	3,6 mg/kg d.w.
Marine sediment	:	2,9 mg/kg d.w.
Soil	:	0,63 mg/kg d.w.
Secondary poisoning	:	380 mg/kg food

Other Occupational Exposure Limit Values

Belgium. OELs. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1, as amended, Time Weighted Average (TWA):
1.000 ppm, 1.907 mg/m³

Netherlands. OELs (binding) per Annex XIII of Working Conditions Regulation, as amended, Skin designation:
Can be absorbed through the skin.

Netherlands. OELs (binding) per Annex XIII of Working Conditions Regulation, as amended, Short Term Exposure Limit (STEL):
1.900 mg/m³, (15 minutes)
Section B: List of Carcinogens

Netherlands. OELs (binding) per Annex XIII of Working Conditions Regulation, as amended, Time Weighted Average (TWA):
260 mg/m³

ETHANOL 96% DENATURED EU 2017/1112

Section B: List of Carcinogens

Other Occupational Exposure Limit Values

Belgium. OELs. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1, as amended, Time Weighted Average (TWA):
1.000 ppm, 1.907 mg/m³

Netherlands. OELs (binding) per Annex XIII of Working Conditions Regulation, as amended, Skin designation:
Can be absorbed through the skin.

Netherlands. OELs (binding) per Annex XIII of Working Conditions Regulation, as amended, Short Term Exposure Limit (STEL):
1.900 mg/m³, (15 minutes)
Section B: List of Carcinogens

Netherlands. OELs (binding) per Annex XIII of Working Conditions Regulation, as amended, Time Weighted Average (TWA):
260 mg/m³
Section B: List of Carcinogens

Component:	butanone	CAS-No. 78-93-3
-------------------	-----------------	------------------------

Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL)

DNEL		
Workers, Long-term - systemic effects, Skin contact	:	1161 mg/kg bw/day
DNEL		
Workers, Long-term - systemic effects, Inhalation	:	600 mg/m ³
DNEL		
Consumers, Long-term - systemic effects, Skin contact	:	412 mg/kg bw/day
DNEL		
Consumers, Long-term - systemic effects, Inhalation	:	106 mg/m ³
DNEL		
Consumers, Long-term - systemic effects, Ingestion	:	31 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Fresh water	:	55,8 mg/l
Marine water	:	55,8 mg/l
Intermittent releases	:	55,8 mg/l
Sewage treatment plant (STP)	:	709 mg/l

ETHANOL 96% DENATURED EU 2017/1112

Sediment	: 284,7 mg/kg dry weight (d.w.)
Soil	: 22,5 mg/kg
Secondary poisoning	: 1000 mg/kg food

Other Occupational Exposure Limit Values

EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended, Time Weighted Average (TWA):
200 ppm, 600 mg/m³
Indicative

EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended, Short Term Exposure Limit (STEL):
300 ppm, 900 mg/m³
Indicative

Belgium. OELs. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1, as amended, Time Weighted Average (TWA):
200 ppm, 600 mg/m³

Belgium. OELs. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1, as amended, Short Term Exposure Limit (STEL):
300 ppm, 900 mg/m³, (15 minutes)

Netherlands. OELs (binding) per Annex XIII of Working Conditions Regulation, as amended, Short Term Exposure Limit (STEL):
900 mg/m³, (15 minutes)

Netherlands. OELs (binding) per Annex XIII of Working Conditions Regulation, as amended, Time Weighted Average (TWA):
590 mg/m³

Netherlands. OELs (binding) per Annex XIII of Working Conditions Regulation, as amended, Skin designation:
Can be absorbed through the skin.

EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended, Time Weighted Average (TWA):
200 ppm, 600 mg/m³
Indicative

EU. Indicative Occupational Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU, as amended, Short Term Exposure Limit (STEL):
300 ppm, 900 mg/m³
Indicative

Component:	propan-2-ol	CAS-No. 67-63-0
-------------------	--------------------	------------------------

Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL)

ETHANOL 96% DENATURED EU 2017/1112

DNEL		
Workers, Long-term - systemic effects, Skin contact	:	888 mg/kg bw/day
DNEL		
Workers, Long-term - systemic effects, Inhalation	:	500 mg/m ³
DNEL		
Consumers, Long-term - systemic effects, Skin contact	:	319 mg/kg bw/day
DNEL		
Consumers, Long-term - systemic effects, Inhalation	:	89 mg/m ³
DNEL		
Consumers, Long-term - systemic effects, Ingestion	:	26 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Fresh water	:	140,9 mg/l
Marine water	:	140,9 mg/l
Intermittent releases	:	140,9 mg/l
Sewage treatment plant (STP)	:	2251 mg/l
Sediment	:	552 mg/kg d.w.
Soil	:	28 mg/kg
Secondary poisoning	:	160 mg/kg food

Other Occupational Exposure Limit Values

Belgium. OELs. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1, as amended, Time Weighted Average (TWA):
200 ppm, 500 mg/m³

Belgium. OELs. Exposure Limit Values to Chemical Substances at Work, Code of Well-being at work, Book VI, Title 1, as amended, Short Term Exposure Limit (STEL):
400 ppm, 1.000 mg/m³, (15 minutes)

Component:	Denatonium benzoate	CAS-No. 3734-33-6
-------------------	----------------------------	--------------------------

Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL)

DNEL		
Workers, Long-term - systemic effects, Inhalation	:	4,99 mg/m ³
DNEL		

ETHANOL 96% DENATURED EU 2017/1112

Workers, Skin contact	: 1,43 mg/kg bw/day
DNEL Consumers, Inhalation	: 0,768 mg/m ³
DNEL Consumers, Skin contact	: 0,51 mg/kg bw/day
DNEL Consumers, Ingestion	: 0,51 mg/kg bw/day

Predicted No Effect Concentration (PNEC)

Fresh water	: 0,1 mg/l
Marine water	: 10 µg/l
Fresh water sediment	: 25 mg/kg d.w.
Marine sediment	: 2,5 mg/kg d.w.
Soil	: 4,95 mg/kg d.w.

8.2. Exposure controls

Appropriate engineering controls

Refer to protective measures listed in sections 7 and 8.

Personal protective equipment

Respiratory protection

Advice : In case of insufficient ventilation, wear suitable respiratory equipment.
When aerosol or mist is formed use suitable respiratory protection.
Respiratory protection complying with EN 141.
Combination filter: A-P2

Hand protection

Advice : Protective gloves complying with EN 374.
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.
Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
Protective gloves should be replaced at first signs of wear.

Material : butyl-rubber
Break through time : > 480 min
Glove thickness : 0,7 mm

ETHANOL 96% DENATURED EU 2017/1112

Eye protection

Advice : Safety goggles

Skin and body protection

Protecting Clothes : Wear personal protective equipment.

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	:	No data available
Physical state	:	liquid
Colour	:	colourless
Odour	:	alcohol-like
Odour Threshold	:	No data available
Melting point/freezing point	:	-117 °C
Boiling point/boiling range	:	78,3 °C
Flammability	:	No data available
Upper explosion limit / Upper flammability limit	:	15 %(V)
Lower explosion limit / Lower flammability limit	:	3,5 %(V)
Flash point	:	17 °C
Auto-ignition temperature	:	425 °C
Decomposition temperature	:	No data available
Self-Accelerating decomposition temperature (SADT)	:	No data available
pH	:	7 (20 °C) Concentration: 100 %
Viscosity		
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Flow time	:	No data available
Solubility(ies)		

ETHANOL 96% DENATURED EU 2017/1112

Water solubility	:	soluble
Solubility in other solvents	:	No data available
Dissolution Rate	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Dispersion Stability	:	No data available
Vapour pressure	:	ca. 59 hPa (20 °C)
Relative density	:	No data available
Density	:	No data available
Bulk density	:	No data available
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Advice : No decomposition if stored and applied as directed.

10.2. Chemical stability

Advice : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : None known.

10.4. Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5. Incompatible materials

Materials to avoid : Metal oxides, Alkali metals, Powdered metal salts, metal salts, Alkaline earth metals, Aldehydes, Alcohols, Amines, ammonia, Hydrazine, Oxidizing agents, organic substances, Permanganate, Organic nitrogen compounds

10.6. Hazardous decomposition products

Hazardous decomposition products : Under fire conditions: Carbon oxides

ETHANOL 96% DENATURED EU 2017/1112

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Data for the product

Acute toxicity

Oral

No data available

Inhalation

No data available

Dermal

No data available

Irritation

Skin

No data available

Eyes

No data available

Sensitisation

No data available

CMR effects

CMR Properties

Carcinogenicity : No data available

Mutagenicity : No data available

Reproductive toxicity : No data available

Specific Target Organ Toxicity

Single exposure

No data available

Repeated exposure

ETHANOL 96% DENATURED EU 2017/1112

No data available

Other toxic properties**Repeated dose toxicity**

No data available

Aspiration hazard

No data available

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Acute toxicity**Oral**

LD50 : 10470 mg/kg (Rat, male and female) (OECD Test Guideline 401)

Inhalation

LC50 : 51 mg/l (Rat; 4 h; vapour) (OECD Test Guideline 403)

Dermal

LD50 : > 2000 mg/kg (Rabbit) (OECD Test Guideline 402)

Irritation**Skin**

Result : No skin irritation (Rabbit) (OECD Test Guideline 404)

Eyes

Result : Causes serious eye irritation. (Rabbit) (OECD Test Guideline 405)

Sensitisation

Result : not sensitizing (Guinea pig) (Maximisation Test)
not sensitizing (Mouse) (OECD Test Guideline 429)
not sensitizing (Inhalation; Rat)

CMR effects**Carcinogenicity**

ETHANOL 96% DENATURED EU 2017/1112

NOAEL	:	> 4.000 mg/kg bw/day (Mouse, female)(Target Organs: Liver)(Oral; 105 weeks; Frequency of treatment: 5 days/week)
NOAEL	:	> 4.250 mg/kg bw/day (Mouse, male)(Target Organs: Liver)(Oral; 105 weeks; Frequency of treatment: 5 days/week)(OPPTS 870.4200)
NOAEL	:	> 3.000 mg/kg bw/day (Rat)(OECD Test Guideline 451)

CMR Properties

Carcinogenicity	:	Animal testing did not show any carcinogenic effects.
Mutagenicity	:	In vitro tests did not show mutagenic effects In vivo tests did not show mutagenic effects
Teratogenicity	:	It is not considered teratogenic.
Reproductive toxicity	:	It is not considered toxic for reproduction.

Genotoxicity in vitro

Result	:	negative (Ames test; Salmonella typhimurium) (OECD Test Guideline 471) negative (Mouse Lymphoma Cells) (OECD Test Guideline 476) Positive as well as negative results were obtained. (Bacterial Reverse Mutation Test; Escherichia coli) (No guideline followed)
--------	---	--

Genotoxicity in vivo

Result	:	Positive as well as negative results were obtained. (Dominant lethal assay; Mouse, male) (Oral; 5 days) (OECD Test Guideline 478) negative (Chromosome aberration test in vivo; Hamster, male and female) (Oral;) (OECD Test Guideline 475) negative (In vivo micronucleus test; Mouse) (OECD Test Guideline 475)
--------	---	--

Teratogenicity

LOAEL Develop.	:	8.200 mg/kg bw/day (Rat, Sprague-Dawley)(6 Weeks)(No guideline followed)Reduced skeletal ossification.
NOAEL Develop.	:	5.200 mg/kg bw/day (Rat, Sprague-Dawley)(6 Weeks)(No guideline followed)
NOAEL Maternal NOAEL Teratog.	:	>= 20.000 ppm 16.000 ppm (Rat, Sprague-Dawley)(Inhalation; 10,000, 16,000, 20,000 ppm; 7 hours/day)(OECD Test Guideline 414)Reduced maternal food

ETHANOL 96% DENATURED EU 2017/1112

consumption

Reproductive toxicity

NOAEL Parent : 21,5 mg/kg bw/day
 (Mouse, male and female)(OECD Test Guideline 416)No negative effects.

NOAEL F1 : 13,8 mg/kg bw/day
 (Mouse, male and female)(OECD Test Guideline 416)Reduction in sperm motility.

Specific Target Organ Toxicity

Single exposure

Remarks : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Repeated exposure

Remarks : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Other toxic properties

Repeated dose toxicity

NOAEL : 1730 mg/kg bw/day
 (Rat, female)(Oral; 90-day) (OECD Test Guideline 408), Target Organs: Liver

NOAEL : > 20 mg/l
 (Rat, male)(Inhalation; 21 days) (OECD Test Guideline 403)

Aspiration hazard

No aspiration toxicity classification,

Further information

Other relevant toxicity information : Exposure to ethanol vapors may result in irritation of the eyes and nose, drowsiness and headache. Other symptoms may include stupor, nausea, mental excitement or depression, vomiting, flushing and coma. It can cause irritation of the respiratory tract, intra ocular tension, ataxia, sleepiness, narcosis, impaired perception and incoordination. It can also cause lowered

ETHANOL 96% DENATURED EU 2017/1112

inhibitions, dizziness, shallow respiration, unconsciousness and death.

Chronic symptoms of ingestion and/or vapor exposure may include weight loss, cirrhosis of the liver, gastroenteritis, anorexia, diarrhea, polyneuritis with pain, motor and sensory loss in the extremities, optic atrophy and loss or impairment of other abilities, excitement, acute and chronic gastritis, malabsorption syndrome, acute and chronic pancreatitis, anemia due to acute or chronic blood myopathy, alcoholic cardiomyopathy, lactic acidosis, hypomagnesemia, hypouricemia, hyperlipidemia, pulmonary aspiration and respiratory infections. Chronic exposure may also result in serious neurological and mental disorders (e.g. brain damage, memory loss, sleep disturbances, and psychoses). Other symptoms include mucous membrane irritation, central nervous system depression, giddiness, jaundice, pain in upper abdomen on the right side and staggering gait. It may cause liver, kidney and heart damage. The pupils are sometimes widely dilated and unreactive to light. The liquid can defat the skin, producing a dermatitis characterized by drying and fissuring. It rarely causes temporary blindness. Ingestion of this compound can enhance the effects of coumarin, anticoagulants, antihistamines, hypnotics, sedatives, tranquilizers, insulin, monoamine oxidase inhibitors, and antidepressants. Can cause reproductive and teratogenic effects

Experience with human exposure : Repeated and prolonged exposure to solvents may cause brain and nervous system damage.,

Component:	Water	CAS-No. 7732-18-5
-------------------	--------------	--------------------------

Acute toxicity

Oral

LD50 : > 89800 mg/kg (Rat)

Inhalation

|| No data available

Dermal

|| No data available

Other routes

LD50 : 25000 mg/kg (intravenous;Mouse)
 LD50 : 190000 mg/kg (intraperitoneal;Mouse)

Irritation

ETHANOL 96% DENATURED EU 2017/1112

Skin

Result : No skin irritation

Eyes

Result : No eye irritation

Sensitisation

Result : not sensitizing

CMR effects

CMR Properties

Carcinogenicity : Not expected to be carcinogenic.
 Mutagenicity : Not expected to be mutagenic.
 Teratogenicity : No known significant effects or critical hazards.
 Reproductive toxicity : No toxicity to reproduction

Specific Target Organ Toxicity

Single exposure

Remarks : The substance or mixture is not classified as specific target organ toxicant, single exposure.

Repeated exposure

Remarks : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Other toxic properties

Aspiration hazard

Not applicable,

Component: butanone CAS-No. 78-93-3

Acute toxicity

Oral

LD50 : > 2193 mg/kg (Rat) (OECD Test Guideline 423)

Inhalation

ETHANOL 96% DENATURED EU 2017/1112

LC50 : 34 mg/l (Rat; 4 h)

Dermal

LD50 : > 5000 mg/kg (Rabbit) (OECD Test Guideline 402)

Irritation**Skin**

Result : No skin irritation (Rabbit; 4 h) (OECD Test Guideline 404) Repeated exposure may cause skin dryness or cracking.

Eyes

Result : Eye irritation (Rabbit) (OECD Test Guideline 405)

Sensitisation

Result : not sensitizing (Buehler Test; Dermal; Guinea pig) (OECD Test Guideline 406)

CMR effects**CMR Properties**

Carcinogenicity : Not expected to be carcinogenic.
Mutagenicity : In vitro tests did not show mutagenic effects
In vivo tests did not show mutagenic effects
Teratogenicity : Animal testing did not show any effects on foetal development.
Reproductive toxicity : Not expected to impair fertility.
Read-across (Analogy)

Genotoxicity in vitro

Result : negative (rat hepatocytes) (OECD Test Guideline 473)
negative (Mouse Lymphoma Cells) (OECD Test Guideline 476)
negative (Salmonella typhimurium) (OECD Test Guideline 471)

Genotoxicity in vivo

Result : negative (Mouse, male and female) (OECD Test Guideline 474)

Teratogenicity

NOAEC Develop. : 1.002 ppm

ETHANOL 96% DENATURED EU 2017/1112

LOAEC Develop. : (Rat)(18 d; 7 hours/day)(OECD Test Guideline 414)Based on available data, the classification criteria are not met.
3.000 ppm
(Rat)(18 d; 7 hours/day)(OECD Test Guideline 414)Body weight loss

Specific Target Organ Toxicity

Single exposure

Remarks : Target Organs: Central nervous systemMay cause drowsiness or dizziness.

Repeated exposure

Remarks : No known significant effects or critical hazards.

Other toxic properties

Repeated dose toxicity

NOAEC : 5041 ppm
(Rat, male and female)(Inhalation; vapour; 4 month; 6 hours/day)(OECD Test Guideline 413); No adverse effect has been observed with repeated intake in toxicity tests.

Aspiration hazard

No aspiration toxicity classification,

Further information

Experience with human exposure : Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
Chronic exposure may cause dermatitis.,

Component: **propan-2-ol** **CAS-No. 67-63-0**

Acute toxicity

Oral

LD50 : 5840 mg/kg (Rat) (OECD Test Guideline 401)

Inhalation

LC50 : > 25 mg/l (Rat; 6 h; vapour) (OECD Test Guideline 403)

ETHANOL 96% DENATURED EU 2017/1112**Dermal**

LD50 : 13900 mg/kg (Rabbit) (OECD Test Guideline 402)

Irritation**Skin**

Result : No skin irritation (OECD Test Guideline 404) Decreases the skin which may cause dry and rough. Prolonged or repeated skin contact may result in dermatitis.

Eyes

Result : Eye irritation (OECD Test Guideline 405) Splashes in eyes may cause strong pain. Vapour acts irritant.

Sensitisation

Result : not sensitizing (Buehler Test; Dermal; Guinea pig) (OECD Test Guideline 406)

CMR effects**Carcinogenicity**

NOEL : 5.000 ppm
(negative, Mouse, male and female)(Inhalation; 0, 500, 2500, 5000 ppm; 78 weeks; Frequency of treatment: 5 days/week)(OECD Test Guideline 451)

CMR Properties

Carcinogenicity : Based on available data, the classification criteria are not met.
Mutagenicity : In vitro tests did not show mutagenic effects
In vivo tests did not show mutagenic effects
Teratogenicity : No effects on or via lactation
Reproductive toxicity : Based on available data, the classification criteria are not met.

Genotoxicity in vitro

Result : negative (Bacterial Reverse Mutation Test; Salmonella typhimurium; with and without metabolic activation) (OECD Test Guideline 471)
negative (In vitro gene mutation study in mammalian cells; CHO (Chinese Hamster Ovary) cells; with and without metabolic activation) (OECD Test Guideline 476)

ETHANOL 96% DENATURED EU 2017/1112

Genotoxicity in vivo

Result : negative (In vivo micronucleus test; Mouse, male and female) (intraperitoneal;) (OECD Test Guideline 474)

Teratogenicity

NOAEL : 400 mg/kg bw/day
 Maternal
 NOAEL : 400 mg/kg bw/day
 Develop.
 (Rat, Sprague-Dawley)(Oral)(OECD Test Guideline 414)No adverse effects

Reproductive toxicity

NOAEL : 853 mg/kg bw/day
 Parent
 (One-Generation Reproduction Toxicity Study; Rat, wistar, male and female)(Oral)(OECD Test Guideline 415)No negative effects.
 NOAEL : 500 mg/kg bw/day
 Parent
 (Two-generation reproductive toxicity; Rat, Sprague-Dawley, male and female)(Oral)(OECD Test Guideline 416)No negative effects.

Specific Target Organ Toxicity

Single exposure

Inhalation : Target Organs: Central nervous systemMay cause drowsiness or dizziness.

Repeated exposure

Remarks : Oral and inhalation repeated exposure studies demonstrated target organ effects in male rats (kidney) and male and female mice (thyroid) by mechanisms of action that are not relevant to humans

Other toxic properties

Aspiration hazard

Aspiration hazard if swallowed - can enter lungs and cause damage.
 Aspiration may cause pulmonary oedema and pneumonitis.
 Based on available data, the classification criteria are not met.,

Component: ethanol CAS-No. 64-17-5

Acute toxicity

Oral

ETHANOL 96% DENATURED EU 2017/1112

LD50 : 10470 mg/kg (Rat, male and female) (OECD Test Guideline 401)

Inhalation

LC50 : 124,7 mg/l (Rat, male and female; 4 h; vapour) (OECD Test Guideline 403)

Dermal

LD50 : > 16000 mg/kg (Rabbit) (OECD Test Guideline 402)

Irritation

Skin

Result : No skin irritation (Rabbit) (OECD Test Guideline 404)

Eyes

Result : Moderate eye irritation (Rabbit) (OECD Test Guideline 405)

Sensitisation

Result : not sensitizing (Guinea pig) (Maximisation Test)
not sensitizing (Mouse) (OECD Test Guideline 429)
not sensitizing (Inhalation; Rat)

CMR effects

Carcinogenicity

NOAEL : > 4.000 mg/kg bw/day
(Mouse, female)(Target Organs: Liver)(Oral; 105 weeks;
Frequency of treatment: 5 days/week)

NOAEL : > 4.250 mg/kg bw/day
(Mouse, male)(Target Organs: Liver)(Oral; 105 weeks; Frequency
of treatment: 5 days/week)

CMR Properties

Carcinogenicity : Animal testing did not show any carcinogenic effects.
Mutagenicity : In vitro tests did not show mutagenic effects
In vivo tests did not show mutagenic effects
Teratogenicity : It is not considered teratogenic.
Reproductive toxicity : It is not considered toxic for reproduction.

ETHANOL 96% DENATURED EU 2017/1112

Genotoxicity in vitro

Result : negative (Bacterial Reverse Mutation Test; Salmonella typhimurium; with and without metabolic activation) (OECD Test Guideline 471)
negative (In vitro gene mutation study in mammalian cells; Mouse Lymphoma Cells; with and without metabolic activation) (OECD Test Guideline 476)

Genotoxicity in vivo

Result : Positive as well as negative results were obtained. (Dominant lethal assay; Mouse, male) (Oral; 5 days) (OECD Test Guideline 478)
negative (Rat, male) (23 days) (OECD Test Guideline 474)

Teratogenicity

LOAEL Develop. : 8.200 mg/kg bw/day
(Rat, Sprague-Dawley)(6 Weeks)(No guideline followed)Reduced skeletal ossification.

NOAEL Develop. : 5.200 mg/kg bw/day
(Rat, Sprague-Dawley)(6 Weeks)(No guideline followed)

NOAEL Maternal NOAEL Teratog. : >= 20.000 ppm
16.000 ppm
(Rat, Sprague-Dawley)(Inhalation; 10,000, 16,000, 20,000 ppm; 7 hours/day)(OECD Test Guideline 414)Reduced maternal food consumption

Reproductive toxicity

NOAEL Parent : 21,5 mg/kg bw/day
(Mouse, male and female)(OECD Test Guideline 416)No negative effects.

NOAEL F1 : 13,8 mg/kg bw/day
(Mouse, male and female)(OECD Test Guideline 416)Reduction in sperm motility.

Specific Target Organ Toxicity

Single exposure

Remarks : The substance or mixture is not classified as specific target organ toxicant, single exposure.

ETHANOL 96% DENATURED EU 2017/1112**Repeated exposure**

Remarks : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Other toxic properties**Repeated dose toxicity**

NOAEL : 1.280 mg/kg
(Rat, male and female)(Oral; 90-day) (OECD Test Guideline 408),
Target Organs: Kidney

Aspiration hazard

No aspiration toxicity classification,

Further information

Other relevant toxicity information : Exposure to ethanol vapors may result in irritation of the eyes and nose, drowsiness and headache. Other symptoms may include stupor, nausea, mental excitement or depression, vomiting, flushing and coma. It can cause irritation of the respiratory tract, intra ocular tension, ataxia, sleepiness, narcosis, impaired perception and incoordination. It can also cause lowered inhibitions, dizziness, shallow respiration, unconsciousness and death.

Chronic symptoms of ingestion and/or vapor exposure may include weight loss, cirrhosis of the liver, gastroenteritis, anorexia, diarrhea, polyneuritis with pain, motor and sensory loss in the extremities, optic atrophy and loss or impairment of other abilities, excitement, acute and chronic gastritis, malabsorption syndrome, acute and chronic pancreatitis, anemia due to acute or chronic blood myopathy, alcoholic cardiomyopathy, lactic acidosis, hypomagnesemia, hypouricemia, hyperlipidemia, pulmonary aspiration and respiratory infections. Chronic exposure may also result in serious neurological and mental disorders (e.g. brain damage, memory loss, sleep disturbances, and psychoses). Other symptoms include mucous membrane irritation, central nervous system depression, giddiness, jaundice, pain in upper abdomen on the right side and staggering gait. It may cause liver, kidney and heart damage. The pupils are sometimes widely dilated and unreactive to light. The liquid can defat the skin, producing a dermatitis characterized by drying and fissuring. It rarely causes temporary blindness. Ingestion of this compound can enhance the effects of coumarin, anticoagulants, antihistamines, hypnotics, sedatives, tranquilizers, insulin, monoamine oxidase inhibitors, and antidepressants. Can cause reproductive and teratogenic effects

ETHANOL 96% DENATURED EU 2017/1112

Experience with human exposure : Repeated and prolonged exposure to solvents may cause brain and nervous system damage.,

Component: Denatonium benzoate CAS-No. 3734-33-6

Acute toxicity

Oral

LD50 : 584 mg/kg (Rat)

Dermal

LD50 : > 2000 mg/kg (Rabbit)

Irritation

Skin

Result : Irritating to skin.

Eyes

Result : Irritating to eyes.

Sensitisation

Result : not sensitizing (Dermal; Guinea pig) (EPA OPP 81-6)

CMR effects

Carcinogenicity

NOAEL : 16 mg/kg bw/day
(Rat, male and female)(Oral; 2 Years)

CMR Properties

Carcinogenicity : Based on available data, the classification criteria are not met.
Mutagenicity : In vitro tests did not show mutagenic effects
Reproductive toxicity : Based on available data, the classification criteria are not met.

Genotoxicity in vitro

Result : negative (Chromosome aberration test in vitro; Human lymphocytes; with and without metabolic activation) (OECD Test Guideline 473)

ETHANOL 96% DENATURED EU 2017/1112

Reproductive toxicity

NOAEL Parent : 60 mg/kg bw/day
 NOAEL F1 : 60 mg/kg bw/day
 (Reproduction/Developmental Toxicity Screening Test; Rat, Sprague-Dawley, male and female)(Oral)(OECD Test Guideline 421)

Other toxic properties

Aspiration hazard

Not applicable,

11.2. Information on other hazards

Data for the product

Endocrine disrupting properties

Assessment Endocrine Disrupting Properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Component: ethanol CAS-No. 64-17-5

Endocrine disrupting properties

Assessment Endocrine Disrupting Properties : No information available about endocrine disruption properties for human health.

Component: butanone CAS-No. 78-93-3

Endocrine disrupting properties

Assessment Endocrine Disrupting Properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Component: propan-2-ol CAS-No. 67-63-0

ETHANOL 96% DENATURED EU 2017/1112

Endocrine disrupting properties

Assessment Endocrine Disrupting Properties	:	No information available about endocrine disruption properties for human health.
--	---	--

SECTION 12: Ecological information

12.1. Toxicity

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Acute toxicity

Fish

LC50	:	15.300 mg/l (Pimephales promelas (fathead minnow); 96 h) (flow-through test; US-EPA)
LC50	:	11.200 mg/l (Salmo gairdneri; 24 h) (flow-through test; US-EPA)
LC50	:	13.000 mg/l (Oncorhynchus mykiss; 96 h) (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

EC50	:	858 mg/l (Artemia salina; 24 h) (OECD Test Guideline 202)Marine water
EC50	:	12.340 mg/l (Daphnia magna (Water flea); 48 h) (ASTM E 729-80)Fresh water
LC50	:	5.012 mg/l (Ceriodaphnia dubia (water flea); 48 h) (static test; ASTM E 729-80)Fresh water

algae

EC50	:	275 mg/l (Chlorella vulgaris (Fresh water algae); 72 h) (static test; End point: Growth rate; OECD Test Guideline 201)Fresh water
EC10	:	11,5 mg/l (Chlorella vulgaris (Fresh water algae); 72 h) (static test; OECD Test Guideline 201)

Bacteria

EC50	:	5800 mg/l (Paramecium caudatum; 4 h) (static test; No guideline followed)
------	---	---

ETHANOL 96% DENATURED EU 2017/1112

Chronic toxicity

Fish

NOEC : 245 mg/l (30 d) (QSAR)

Aquatic invertebrates

NOEC 9,6 mg/l (Ceriodaphnia dubia (water flea); 10 d) (semi-static test; End point: Reproduction; No guideline followed)
 NOEC 79 mg/l (Palaemonetes pugio; 12 d) (static test)

Component: Water CAS-No. 7732-18-5

Acute toxicity

Fish

|| : No data available

Toxicity to daphnia and other aquatic invertebrates

|| : No data available

algae

|| : No data available

Short-term (acute) aquatic hazard

Result : The product is not classified as dangerous for the environment. Study scientifically unjustified.

Chronic toxicity

Component: butanone CAS-No. 78-93-3

Acute toxicity

Fish

LC50 : 2.993 mg/l (Pimephales promelas; 96 h) (static test; OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

ETHANOL 96% DENATURED EU 2017/1112

EC50 : 308 mg/l (Daphnia magna; 48 h) (static test; OECD Test Guideline 202)

algae

EC50 : 1972 mg/l (Pseudokirchneriella subcapitata (green algae); 72 h) (static test; End point: Growth rate; OECD Test Guideline 201)

Bacteria

EC0 : 1150 mg/l (Pseudomonas putida; 16 h) (static test; DIN 38412)

Component:	propan-2-ol	CAS-No. 67-63-0
-------------------	--------------------	------------------------

Acute toxicity		
-----------------------	--	--

Fish

LC50 : 9.640 mg/l (Pimephales promelas, mortality; 96 h) (flow-through test; OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

LC50 : 9.714 mg/l (Daphnia magna, mortality; 24 h) (static test; OECD Test Guideline 202)

algae

EC50 : > 100 mg/l (Scenedesmus subspicatus; 72 h)
 LOEC : 1000 mg/l (algae; 8 d)

Bacteria

EC50 : > 100 mg/l (Bacteria) no harming action

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Acute toxicity		
-----------------------	--	--

Fish

LC50 : 8.150 mg/l (Leuciscus idus melanotus; 48 h)
 LC50 : 1.100 mg/l (Alburnus alburnus; 96 h)

ETHANOL 96% DENATURED EU 2017/1112

Toxicity to daphnia and other aquatic invertebrates

LC50 : 5.012 mg/l (Ceriodaphnia dubia (water flea); 48 h) (static test; ASTM E 729-80) Fresh water

algae

EC50 : 275 mg/l (Chlorella vulgaris (Fresh water algae); 72 h) (static test; End point: Growth rate; OECD Test Guideline 201) Fresh water

Bacteria

EC0 : 6500 mg/l (Pseudomonas putida; 16 h)

Chronic toxicity

Fish

NOEC : 250 mg/l (Danio rerio (zebra fish); 120 h) (semi-static test; OECD Test Guideline 212)

Aquatic invertebrates

NOEC : 9,6 mg/l (Ceriodaphnia dubia (water flea); 10 d) (semi-static test; End point: Reproduction; No guideline followed)

Component: Denatonium benzoate CAS-No. 3734-33-6

Acute toxicity

Fish

LC50 : > 1.000 mg/l (Salmo gairdneri; 96 h)
 LC50 : > 100 mg/l (Danio rerio (zebra fish); 96 h) (static test; OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

EC50 : 13 mg/l (Daphnia magna (Water flea); 48 h)

algae

ETHANOL 96% DENATURED EU 2017/1112

EC50 : 281,556 mg/l (Chlorella vulgaris (Fresh water algae); 72 h) (static test; End point: Growth rate; OECD Test Guideline 201)

Bacteria

EC50 : 511,587 mg/l (Microorganisms; 15 min) (static test; QSAR)

12.2. Persistence and degradability

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Persistence and degradability

Persistence

Result : (Related to: Water) non-significant hydrolysis

Biodegradability

Result : 97 % (aerobic; activated sludge; Related to: CO₂ formation (% of the theoretical value).; Exposure Time: 28 d)(OECD Test Guideline 301B)Readily biodegradable.

Component:	Water	CAS-No. 7732-18-5
-------------------	--------------	--------------------------

Persistence and degradability

Persistence

||Result : No data available

Biodegradability

Result : The methods for determining the biological degradability are not applicable to inorganic substances.

Component:	butanone	CAS-No. 78-93-3
-------------------	-----------------	------------------------

Persistence and degradability

Persistence

Result : Transformation due to hydrolysis not expected to be significant.
Transformation due to photolysis not expected to be significant.

Biodegradability

ETHANOL 96% DENATURED EU 2017/1112

Result : 98 % (Exposure Time: 28 d)(OECD Test Guideline 301D)Readily biodegradable.

Component:	propan-2-ol	CAS-No. 67-63-0
-------------------	--------------------	------------------------

Persistence and degradability

Persistence

Result : Transformation due to hydrolysis not expected to be significant.
Transformation due to photolysis not expected to be significant.

Biodegradability

Result : 53 % (aerobic; domestic sewage; Related to: O2 consumption; Exposure Time: 5 d)(Directive 67/548/EEC, Annex V, C.5)Readily biodegradable.

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Persistence and degradability

Persistence

Result : No data available

Biodegradability

Result : 75 - 84 % (Exposure Time: 20 d)Readily biodegradable.

Result : 70 % (OECD Test Guideline 301D)

Component:	Denatonium benzoate	CAS-No. 3734-33-6
-------------------	----------------------------	--------------------------

Persistence and degradability

Biodegradability

Result : 18,17 % (aerobic; Mixed inoculum; Related to: Biochemical oxygen demand; Exposure Time: 28 d)(OECD Test Guideline 301F)

12.3. Bioaccumulative potential

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Bioaccumulation

Result : log Kow -0,35 (24 °C; pH 7,4) (OECD Test Guideline 107)
: BCF: 0,66; Does not bioaccumulate.

ETHANOL 96% DENATURED EU 2017/1112

Component:	Water	CAS-No. 7732-18-5
-------------------	--------------	--------------------------

Bioaccumulation

Result : Not applicable

Component:	butanone	CAS-No. 78-93-3
-------------------	-----------------	------------------------

Bioaccumulation

Result : log Kow 0,3 (40 °C)
: Does not bioaccumulate.

Component:	propan-2-ol	CAS-No. 67-63-0
-------------------	--------------------	------------------------

Bioaccumulation

Result : log Kow 0,05 (25 °C)
: Bioaccumulation is not expected.

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Bioaccumulation

Result : log Kow -0,35 (24 °C; pH 7,4) (OECD Test Guideline 107)
: BCF: 0,66; Does not bioaccumulate.

12.4. Mobility in soil

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Mobility

Water : The product is water soluble.
Air : The product evaporates readily.
Soil : Not expected to adsorb on soil.

Component:	Water	CAS-No. 7732-18-5
-------------------	--------------	--------------------------

Mobility

Result : The product will be dispersed amongst the various environmental compartments (soil/ water/ air).

Component:	butanone	CAS-No. 78-93-3
-------------------	-----------------	------------------------

Mobility

Water : Expected to remain in water or migrate through soil., The product is partly soluble in water.

Component:	propan-2-ol	CAS-No. 67-63-0
-------------------	--------------------	------------------------

Mobility

ETHANOL 96% DENATURED EU 2017/1112

Water : The product is water soluble.
 Soil : Mobile in soils

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Mobility

Water : The product is water soluble.
 Air : The product evaporates readily.
 Soil : Not expected to adsorb on soil.

Component:	Denatonium benzoate	CAS-No. 3734-33-6
-------------------	----------------------------	--------------------------

Mobility

Water : The product is water soluble.
 Air : not volatile

Distribution among environmental compartments

Adsorption/Soil, : log Koc: 3,392, (OECD Test Guideline 121)

12.5. Results of PBT and vPvB assessment

Data for the product

Results of PBT and vPvB assessment

Result : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Results of PBT and vPvB assessment

Result : Not persistent, bioaccumulative, and toxic (PBT)., Not very persistent and very bioaccumulative (vPvB).

Component:	Water	CAS-No. 7732-18-5
-------------------	--------------	--------------------------

Results of PBT and vPvB assessment

Result : The PBT or vPvB criteria of Annex XIII to the REACH Regulation does not apply to inorganic substances.

Component:	butanone	CAS-No. 78-93-3
-------------------	-----------------	------------------------

ETHANOL 96% DENATURED EU 2017/1112

Results of PBT and vPvB assessment

Result : Not persistent, bioaccumulative, and toxic (PBT)., Not very persistent and very bioaccumulative (vPvB).

Component: propan-2-ol **CAS-No.** 67-63-0

Results of PBT and vPvB assessment

Result : Not persistent, bioaccumulative, and toxic (PBT)., Not very persistent and very bioaccumulative (vPvB).

Component: ethanol **CAS-No.** 64-17-5

Results of PBT and vPvB assessment

Result : Not persistent, bioaccumulative, and toxic (PBT)., Not very persistent and very bioaccumulative (vPvB).

Component: Denatonium benzoate **CAS-No.** 3734-33-6

Results of PBT and vPvB assessment

Result : Not persistent, bioaccumulative, and toxic (PBT)., Not very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting properties

Data for the product

Assessment Endocrine Disrupting Properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Component: ethanol **CAS-No.** 64-17-5

Assessment Endocrine Disrupting Properties : No information available about endocrine disruption properties for environment.

Component: butanone **CAS-No.** 78-93-3

Assessment Endocrine Disrupting Properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

ETHANOL 96% DENATURED EU 2017/1112

||

Component:	propan-2-ol	CAS-No. 67-63-0
-------------------	--------------------	------------------------

Assessment Endocrine Disrupting Properties	:	No information available about endocrine disruption properties for environment.
--	---	---

12.7. Other adverse effects

Data for the product

Additional ecological information

Result : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

Result :

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Biochemical Oxygen Demand (BOD)

Result : 100 mg/g

Chemical Oxygen Demand (COD)

Result : 1900 mg/g

Additional ecological information

Result : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

Component:	Water	CAS-No. 7732-18-5
-------------------	--------------	--------------------------

Additional ecological information

Result : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

Component:	butanone	CAS-No. 78-93-3
-------------------	-----------------	------------------------

Additional ecological information

Result : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

Component:	propan-2-ol	CAS-No. 67-63-0
-------------------	--------------------	------------------------

Additional ecological information

Result : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

Biochemical Oxygen Demand (BOD)

ETHANOL 96% DENATURED EU 2017/1112

Result : 100 mg/g

Chemical Oxygen Demand (COD)

Result : 1900 mg/g

Additional ecological information

Result : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

Component:	Denatonium benzoate	CAS-No. 3734-33-6
-------------------	----------------------------	--------------------------

Additional ecological information

Result : Do not flush into surface water or sanitary sewer system.
Avoid subsoil penetration.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

- Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations. Do not let product enter drains. Contact waste disposal services. This product shall be disposed of or recovered in compliance with Directive 2008/98/EC on waste as lastly amended.
- Contaminated packaging : Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. If recycling is not practicable, dispose of in compliance with local regulations. Do not burn, or use a cutting torch on, the empty drum. Risk of explosion.
- European Waste Catalogue Number : No waste code according to the European Waste Catalogue can be assigned for this product, as the intended use dictates the assignment. The waste code is established in consultation with the regional waste disposer.

SECTION 14: Transport information

Fehler: Keine referenzierten/vererbten Stoffe!

14.1. UN number or ID number

1170

14.2. UN proper shipping name

ADR : ETHANOL SOLUTION

ETHANOL 96% DENATURED EU 2017/1112

RID : ETHANOL SOLUTION
IMDG : ETHANOL SOLUTION

14.3. Transport hazard class(es)

ADR-Class : 3
 (Labels; Classification Code; Hazard Identification Number; Tunnel restriction code) 3; F1; 33; (D/E)
 RID-Class : 3
 (Labels; Classification Code; Hazard Identification Number) 3; F1; 33
 IMDG-Class : 3
 (Labels; EmS) 3; F-E, S-D

14.4. Packaging group

ADR : II
 RID : II
 IMDG : II

14.5. Environmental hazards

Environmentally hazardous according to ADR : no
 Environmentally hazardous according to RID : no
 Marine Pollutant according to IMDG-Code : no

14.6. Special precautions for user

Not applicable.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

EU. Chemicals Subject to Export Notification: Annex 1, Part 1, Regulation 649/2012/EU on export and import of dangerous chemicals, as amended : ; The substance/mixture does not fall under this legislation.

ETHANOL 96% DENATURED EU 2017/1112

- EU. REACH, Annex XVII, : Point Nos.: , 40; Listed
 Restrictions on
 manufacture, placing on
 the market and use of
 certain dangerous
 substances,
 1907/2006/EC, as
 amended
- II Point Nos.: , 3; Listed
 Point Nos.: , 75; Listed
- EU. Directive : Qualifying quantity for the application of Lower-tier
 2012/18/EU (SEVESO requirements: 5.000 tonnes; Part 1: Categories of dangerous
 III) on major accident substances; Flammable liquids, Categories 2 or 3 not covered
 hazards involving by P5a and P5b, The information given is valid if the product is
 dangerous substances, stored below the boiling point and at a pressure of 1013 hPa.
 Annex I
 Qualifying quantity for the application of Upper-tier
 requirements: 50.000 tonnes; Part 1: Categories of dangerous
 substances; Flammable liquids, Categories 2 or 3 not covered
 by P5a and P5b, The information given is valid if the product is
 stored below the boiling point and at a pressure of 1013 hPa.
- Netherlands. Substances : Hazard Designation: ; May cause harm to breastfed babies.
 Toxic to Reproduction,
 as amended
- Netherlands. List of : Hazard Designation: ; Carcinogenic
 Carcinogenic
 Substances and
 Processes, as amended
- Netherlands. Substances : Hazard Designation: 1A; May cause harm to the unborn child.
 Toxic to Reproduction,
 as amended
- Netherlands. Substances : Hazard Designation: 1A; May impair fertility.
 Toxic to Reproduction,
 as amended

Component:	Water	CAS-No. 7732-18-5
-------------------	--------------	--------------------------

ETHANOL 96% DENATURED EU 2017/1112

EU. Chemicals Subject to Export Notification: Annex 1, Part 1, Regulation 649/2012/EU on export and import of dangerous chemicals, as amended : ; The substance/mixture does not fall under this legislation.

EU. REACH, Annex XVII, Restrictions on manufacture, placing on the market and use of certain dangerous substances, 1907/2006/EC, as amended : ; The substance/mixture does not fall under this legislation.

EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I : ; The substance/mixture does not fall under this legislation.

Component: butanone CAS-No. 78-93-3

EU. Chemicals Subject to Export Notification: Annex 1, Part 1, Regulation 649/2012/EU on export and import of dangerous chemicals, as amended : ; The substance/mixture does not fall under this legislation.

Component: butanone CAS-No. 78-93-3

EU. Regulation 273/2004, Drug Precursors, Category 3 : Scheduled substance Combined Nomenclature (CN) code: , 2914 12 00; Combined Nomenclature designation

EU. REACH, Annex XVII, Restrictions on manufacture, placing on the market and use of certain dangerous substances, 1907/2006/EC, as amended : Point Nos.: , 3; Listed

ETHANOL 96% DENATURED EU 2017/1112

Point Nos.: , 40; Listed
Point Nos.: , 75; Listed

<p>EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I</p>	<p>: Qualifying quantity for the application of Lower-tier requirements: 50 tonnes; Part 1: Categories of dangerous substances; P5b: Flammable liquids; part of Category 2 or 3, The information given is valid if the product is stored below the boiling point and at a pressure of 1013 hPa.</p> <p>Qualifying quantity for the application of Upper-tier requirements: 200 tonnes; Part 1: Categories of dangerous substances; P5b: Flammable liquids; part of Category 2 or 3, The information given is valid if the product is stored below the boiling point and at a pressure of 1013 hPa.</p>
--	--

Component:	propan-2-ol	CAS-No. 67-63-0
-------------------	--------------------	------------------------

EU. Chemicals Subject to Export Notification: Annex 1, Part 1, Regulation 649/2012/EU on export and import of dangerous chemicals, as amended : ; The substance/mixture does not fall under this legislation.

EU. REACH, Annex XVII, Restrictions on manufacture, placing on the market and use of certain dangerous substances, 1907/2006/EC, as amended : Point Nos.: , 40; Listed

Point Nos.: , 75; Listed
Point Nos.: , 3; Listed

<p>EU. Directive 2012/18/EU (SEVESO III) on major accident hazards involving dangerous substances, Annex I</p>	<p>: Qualifying quantity for the application of Lower-tier requirements: 5.000 tonnes; Part 1: Categories of dangerous substances; Flammable liquids, Categories 2 or 3 not covered by P5a and P5b, The information given is valid if the product is stored below the boiling point and at a pressure of 1013 hPa.</p> <p>Qualifying quantity for the application of Upper-tier requirements: 50.000 tonnes; Part 1: Categories of dangerous substances; Flammable liquids, Categories 2 or 3 not covered by P5a and P5b, The information given is valid if the product is stored below the boiling point and at a pressure of 1013 hPa.</p>
--	--

ETHANOL 96% DENATURED EU 2017/1112

Component:	ethanol	CAS-No. 64-17-5
-------------------	----------------	------------------------

EU. REACH, Annex XVII, : Point Nos.: , 40; Listed
Restrictions on
manufacture, placing on
the market and use of
certain dangerous
substances,
1907/2006/EC, as
amended

Point Nos.: , 3; Listed

EU. Directive
2012/18/EU (SEVESO
III) on major accident
hazards involving
dangerous substances,
Annex I

: Qualifying quantity for the application of Lower-tier
requirements: 5.000 tonnes; Part 1: Categories of dangerous
substances; Flammable liquids, Categories 2 or 3 not covered
by P5a and P5b, The information given is valid if the product is
stored below the boiling point and at a pressure of 1013 hPa.

Qualifying quantity for the application of Upper-tier
requirements: 50.000 tonnes; Part 1: Categories of dangerous
substances; Flammable liquids, Categories 2 or 3 not covered
by P5a and P5b, The information given is valid if the product is
stored below the boiling point and at a pressure of 1013 hPa.

Netherlands. Substances
Toxic to Reproduction,
as amended

: Hazard Designation: ; May cause harm to breastfed babies.

Netherlands. List of
Carcinogenic
Substances and
Processes, as amended

: Hazard Designation: ; Carcinogenic

Netherlands. Substances
Toxic to Reproduction,
as amended

: Hazard Designation: 1A; May cause harm to the unborn child.

Netherlands. Substances
Toxic to Reproduction,
as amended

: Hazard Designation: 1A; May impair fertility.

Component:	Denatonium benzoate	CAS-No. 3734-33-6
-------------------	----------------------------	--------------------------

EU. Chemicals Subject : ; The substance/mixture does not fall under this legislation.

ETHANOL 96% DENATURED EU 2017/1112

to Export Notification:
Annex 1, Part 1,
Regulation 649/2012/EU
on export and import of
dangerous chemicals, as
amended

EU. REACH, Annex XVII, : ; The substance/mixture does not fall under this legislation.
Restrictions on
manufacture, placing on
the market and use of
certain dangerous
substances,
1907/2006/EC, as
amended

EU. Directive : ; The substance/mixture does not fall under this legislation.
2012/18/EU (SEVESO
III) on major accident
hazards involving
dangerous substances,
Annex I

15.2. Chemical safety assessment

The chemical safety assessment of substances from this mixture has been done.

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

Full text of the Notes referred to under section 3.

Abbreviations and Acronyms

AU AIICL	Australia. Industrial Chemicals Act (AIC) List
BCF	bioconcentration factor
BOD	biochemical oxygen demand

ETHANOL 96% DENATURED EU 2017/1112

CAS	Chemical Abstracts Service
CLP	Classification, Labelling and Packaging
CMR	carcinogenic, mutagenic or toxic to reproduction
COD	chemical oxygen demand
DNEL	derived no-effect level
DSL	Canada. Environmental Protection Act, Domestic Substances List
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ENCS (JP)	Japan. Kashin-Hou Law List
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
IECSC	China. Inventory of Existing Chemical Substances
INSQ	Mexico. National Inventory of Chemical Substances
ISHL (JP)	Japan. Inventory of Industrial Safety & Health
KECI (KR)	Korea. Existing Chemicals Inventory
LC50	median lethal concentration
LOAEC	lowest observed adverse effect concentration
LOAEL	lowest observed adverse effect level
LOEL	lowest observed effect level
NDSL	Canada. Environmental Protection Act. Non-Domestic Substances List
NLP	no-longer polymer
NOAEC	no observed adverse effect concentration
NOAEL	no observed adverse effect level
NOEC	no observed effect concentration
NOEL	no observed effect level
NZIOC	New Zealand. Inventory of Chemicals
OECD	Organisation for Economic Cooperation and Development
OEL	occupational exposure limit
ONT INV	Canada. Ontario Inventory List
PBT	persistent, bioaccumulative and toxic
PHARM (JP)	Japan. Pharmacopoeia Listing
PICCS (PH)	Philippines. Inventory of Chemicals and Chemical Substances
PNEC	predicted no-effect concentration
REACH Auth. No.:	REACH Authorisation Number
REACH AuthAppC. No.	REACH Authorisation Application Consultation Number
UK REACH Auth. No.:	UK REACH Authorisation Number
UK REACH AuthAppC. No.	UK REACH Authorisation Application Consultation Number
UK REACH-Reg.No	UK REACH Registration Number
STOT	specific target organ toxicity
SPM	Synthetic Polymer Microparticles

ETHANOL 96% DENATURED EU 2017/1112

SVHC	substance of very high concern
TCSI	Taiwan. Existing Chemicals Inventory
TH INV	Thailand. Existing Chemicals Inventory from FDA
TSCA	US. Toxic Substances Control Act
UVCB	substance of unknown or variable composition, complex reaction products or biological materials
VN INV L	Vietnam. National Chemical Inventory

Further information

Key literature references and sources for data	:	Supplier information and data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used to create this safety data sheet.
Methods used for product classification	:	The classification for human health, physical and chemical hazards and environmental hazards were derived from a combination of calculation methods and if available test data.
Hints for trainings	:	The workers have to be trained regularly on the safe handling of the products based on the information provided in the Safety Data Sheet and the local conditions of the workplace. National regulations for the training of workers in the handling of hazardous materials must be adhered to.
Other information	:	<p>The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship.</p> <p>The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.</p>

|| Indicates updated section.

DISTRIBUTOR COMPANY INFORMATION			
name	BRENNTAG N.V.	BRENNTAG NEDERLAND B.V.	BRENNTAG SOUTH AFRICA (PTY) LTD
Address	Nijverheidslaan 38 8540 Deerlijk	Donker Duyvisweg 44 3316 BM Dordrecht	247 15 th Road, Randjespark, Midrand, 1685
Country	Belgium	The Netherlands	South Africa
Phone number	+32 (0)56 77 69 44	+31 (0)78 65 44 944	+27 (0)10 0209100
Website	www.brenntag.com	www.brenntag.com	www.brenntag.com
E-mail	Info.BE@brenntag.com	Info.NL@brenntag.com	Info.ZA@brenntag.com
Activities	Distribution and export of chemicals and ingredients		
VAT number	BE0405317567	NL001375945B01	4520105356
Emergency number (24/365)	+32 (0)56 77 69 44	+31 (0)78 65 44 944	+27 (0)10 0209100
Management systems: certifications	ISO9001, FSSC22000, GMP+Feed, ESAD, RSPO, Rainforest Alliance	ISO 9001, ISO 14001, ISO 22000, ISO22716, FSSC 22000, ISO45001, GMP+ Feed, ESAD, AEO, SKAL, RSPO, Rainforest Alliance	ISO9001, ISO45001, ISO14001, FSSC22000, Certificate of acceptability for Food Premises R638, Ecovadis Stustainability Rating (Platinum), SABS 1827, SABS 1853, B-BBEE, Rainforest Alliance, Sedex

Information in this publication is believed to be accurate and is given in good faith, but it is for the customer to satisfy itself of the suitability for its own particular purpose.
No representation, warranty or guarantee is made as to its accuracy, reliability or completeness.

